detecting means is an electrochemical detecting means.

- 8. (Amended) Sensor device as claimed in Claim 34 wherein the electrolytic detecting device operates in a liquid phase electrolyte-containing medium.
- (Amended) Sensor device as claimed in Claim 7 wherein the electrode is a metal electrode.
- 10. (Amended) Sensor device as claimed in Claim 7 wherein the electrode is in combination with a counter electrode.
- 11. (Amended) Sensor device as claimed in Claim 1 wherein the sample under examination reaches the electrode by diffusion.
- 12. (Amended) Sensor device as claimed in Claim 1 wherein an enzyme is present to convert one analyte into another, for ease of detection.
- 13. (Amended) Sensor device as claimed in Claim 1 wherein a plurality of membranes made of other materials are used in conjunction with a membrane composed of an impermeable polymer and a poly-vinylpyridine.
- 16. (Amended) Method for determining a component in a fluid sample, which comprises contacting the sample with a sensor device as claimed in Claim 1.
- 18. (Amended) Method as claimed in Claim 16 wherein the component to be determined is a low molecular weight, non-volatile compound.
- 19. (Amended) Method as claimed in Claim 16 applied to the monitoring, measurement and assessment of one or more analytes.
- $ho \; dash 
  ho \;$  21. (Amended) Method as claimed in Claim 17 wherein the mode of

AY

electrolytic analysis used is amperometric analysis.

- 23. (Amended) Polymer compositions comprising an impermeable polymer together with a poly-vinylpyridine ("PVP").
- A5
- 24. (Amended) Polymer compositions as claimed in Claim 23 wherein the impermeable polymer is a polyvinyl chloride ("PVC").
- 25. (Amended) Polymer compositions as claimed in Claim 23 wherein the impermeable polymer and poly-vinylpyridine are mixed intimately.
- 26. (Amended) Polymer compositions as claimed in Claim 23 which are in the form of a membrane.

Please add claims 32-45, as follows:

- 32. Sensor device as claimed in Claim 4, wherein said compound is 4-vinylpyridine.
- 33. Sensor device as claimed in Claim 5, wherein the proportions of the poly-vinylpyridine is about 50% (calculated on the total compositions) by weight.



- 34. Sensor device as claimed in Claim 7, wherein said detecting means is an electrolytic detection device.
- 35. Sensor device as claimed in Claim 34, wherein said electrolytic detection device is an electrode.
- 36. Sensor device as claimed in Claim 34, wherein the electrolytic detection device operates in a gel phase electrolyte-containing medium.
- 37. Sensor device as claimed in Claim 8, wherein said liquid phase electrolyte-containing medium comprises an aqueous-

phase electrolyte-containing medium comprises an aqueousbased medium.

- 38. Sensor device as claimed in Claim 9, wherein said metal electrode comprises platinum.
- 39. Sensor device as claimed in Claim 10, wherein said counterelectrode is a silver/silver chloride counter-electrode.
- 40. Sensor device as claimed in Claim 10, wherein said combination comprises a platinum electrode surrounded by a silver/silver chloride ring.
- 41. Method as claimed in Claim 18, wherein said component is selected from the group of a sugar or a natural phenol.
- 42. Method as claimed in Claim 16, wherein said fluid sample comprises a biological medium.
- 43. Method as claimed in Claim 42, wherein said biological medium is a bodily fluid.
- 44. Method as claimed in Claim 42, wherein said biological medium is blood.
- 45. Method as claimed in Claim 17, wherein the mode of electrolytic analysis used is pulsed amperometric determination.

Please cancel claims 15, 22 and 27-31.

## REMARKS

The purpose of this Preliminary Amendment is to delete multiple claims dependencies and to present additional claims directed to preferred embodiments of the invention.

4

A marked-up version of the present claim amendments is